

Opswise Automation Center Controller 5.1.0 Maintenance

© 2012 by Stonebranch, Inc. All Rights Reserved.

Opswise Automation Center Controller 5.1.0 Maintenance

- Introduction
- Product Packaging
 - Versioning
 - · Packaging Methods
- Package Maintenance Levels

Introduction

Stonebranch provides product maintenance in the form of updated product installation packages. This document lists the product installation package maintenance history for Opswise Automation Center Controller 5.1.0.



Note

You only can install a maintenance package to a product installation of the same version, release, and modification levels (see Versioning, below). For example, you can install a 5.1.0.7 maintenance package to a 5.1.0.x installation, but you cannot install a 5.1.0.7 maintenance package to a 1.7.0.x installation.

Product Packaging

A package maintenance level is incremented when the package changes or the package installation changes.

Stonebranch changes product version, release, or modification identifiers at its discretion when it deems an appropriate number of enhancements or capabilities have been introduced to warrant the change.

Every package contains README files containing installation instructions and other pertinent information.

Versioning

Package version numbers are comprised of four numeric identifiers: version, release, modification level, and maintenance level.

For example, for Opswise Automation Center Controller 5.1.0.7:

- 5 = Version 5
- 1 = Release 1
- 0 = Modification Level 0
- 7 = Maintenance Level 7

Packaging Methods

All Opswise Automation Center Controller maintenance packages are provided in a .zip format.

Package Maintenance Levels

This section identifies the changes in each maintenance release.

Release 5.1.0.7 - September 6, 2012

Change ID	Description
B-02819	Add simple "opswise/is_active_node.do" and "opswise/ops_node_info.do" HTTP mechanism to determine the status of a cluster node.
B-02915	Add "items per page" property to controller administration.
B-02934	Allow List Import/Export of a sys_user_group's Opswise Permissions.
B-03172	Increase To, CC, BCC and Subject column sizes on all Email related forms.
D-02634	User can bypass the password reset requirement with a browser refresh.
D-02767	Core performance degradation with Oracle 11g database (requires full database re-initialization, fix does not apply to upgrade path).
D-02876	All integers larger than 999 are not properly recognized by Opswise web interface for servers with European metric system.
D-02936	File Trigger "Simple Restriction" on even though "Special Restrictions" off.
D-02996	z/OS parameter "values" should not be upper-cased automatically.
D-03004	Change bulk_import logging so it is visible under default logging configuration.
D-03010	Calendar Preview renders incorrectly for some locales (German for instance).
D-03038	Task monitor with negative time scope fails if criteria not met in positive time scope.
D-03039	"sys_gaugeroles" records are doubled during bulk export/import.
D-03042	Trigger monitor gets orphaned if the monitor is in "Start Failure" when trigger is updated.
D-03052	"Scheduled Report Email" timers not preserved during bulk export/import.
D-03054	Two task instances consuming resource with limit 1 when multiple resources required.
D-03075	User with Task:Read permission can modify workflow graph from passive node.
D-03085	A task instance that requests multiple resources can update the resource usage count without obtaining the resources.
D-03103	Workflow Condition Value on Task Monitor does not resolve variables.
D-03190	Manually running a "Data Backup/Purge" locks up the UI until complete instead of running in the background.

D-03226	Deletion of task without "ops_admin" role but with task "delete" permission can result in error during deletion of associated notifications.	
D-03240	Custom Day reference in Task Run Criteria not updated to the target sys_id during promotion (if custom day has same name, different sys_id on target system).	

Release 5.1.0.6 - April 27, 2012

Change ID	Description
D-02904	After restart confirmation due to a JCL change, all z/OS restartable job steps are selected for rerun.
B-02898	Enhancement for defining z/OS step level conditions with associated actions.
B-02903	Allow z/OS parameters and Windows/Linux environment variables to be modified from the task instance form.
B-02914	Increase sys_user.first_name column from 50 to 100 characters.
B-02911	Increase sys_user_group.name column from 40 to 100 characters.

Release 5.1.0.4 - March 27, 2012

Change ID	Description
D-02898	LDAP sync provides for both a user search filter and a user OU filter, however, login only enforces the user search filter.
D-02908	If LDAP configured for user synchronization without LDAP password authentication enabled, a matching LDAP user can log in with blank password (on initial login only) if matching LDAP user not synchronized yet.

Release 5.1.0.3 - March 15, 2012

Change ID	Description	
D-02858	Web Services "ops-create-temp-trigger" and "ops-task-create" fail when using a non-admin user if variables	
	(or other related records) are defined.	
D-02866	Cannot specify a script by name when creating a task with "ops-task-create" Web Service.	

Release 5.1.0.2 - February 10, 2012

Change ID	Description	
D-02823	Adding same source agent fails when already mapped in another promotion target.	

Release 5.1.0.1 - February 7, 2012

Opswise Automation Center Controller 5.1.0 Maintenance

Change ID	Description
D-02818	LDAP authentication getting disabled automatically.